Program: BE Civil Engineering

Curriculum Scheme: Revised 2016

Examination: Third Year Semester VI

Course Code:CEC605 and Course Name: Water Resources Engineering-I

Time: 1 hour Max. Marks: 50

Note to the students:- All the Questions are compulsory and carry equal marks .

Q1.	In the field of furrow irrigation, 'furrows' are referred to
Option A:	ridges on which crops are grown
Option B:	narrow ditches carrying water
Option C:	circular ponds
Option D:	water storage near field
Q2.	Laterals are also called as
Option A:	Terraces
Option B:	Basin
Option C:	Ditch
Option D:	Levees
Q3.	What kind of irrigation method uses artificial rain to irrigate the land?
Option A:	Sprinkler Irrigation Method
Option B:	Drip Irrigation Method
Option C:	Furrow Method
Option D:	Border Irrigation Method
Q4.	Flood irrigation method of irrigation field, works best on:
Option A:	level or gently rolling terrain
Option B:	steeply rolling terrain
Option C:	undulating terrain
Option D:	hill sides
Q5.	Superfluous water is also called
Option A:	capillary water
Option B:	gravitational water
Option C:	hygroscopic water
Option D:	Evapotranspiration
Q6.	A structure is constructed for collecting flow of water from surface sources is called
Option A:	Rising main

Option B:	Inlet pipe
-	Intake well
Option C:	
Option D:	Jack Pipe
Q7.	In contour farming the land is divided into series of horizontal strips called
Option A:	Terraces
Option B:	Bunds
Option C:	Basin
Option C:	Levees
Option D.	Levees
Q8.	A ridge canal is also called a:
Option A:	watershed canal
Option B:	contour canal
Option C:	side slope canal
Option D:	lined canal
Option D.	mica cariai
Q9.	The most expected crops in a hot arid district of Rajasthan State in India, in the
	month of September, are
Option A:	Rice and Sugarcane
Option B:	Bajra and Maize
Option C:	Wheat and Maize
Option D:	Tobacco and Cotton.
Q10.	The optimum depth of kor watering for rice is about:
Option A:	25 cm
Option B:	19 cm
Option C:	5 cm
Option D:	9 cm.
Q11.	The efficiency of water conveyance does not depend upon:
Option A:	climatic conditions
Option B:	geometry of the conveyance system.
Option C:	nature of the boundary of the conveyance system
Option D:	method of application of water.
012	Which of the fallowing is not somewhat will be 42
Q12.	Which of the following is not correctly matched?
Option A:	Rice-Kharif
O-1'	Miles et Delei
Option B:	Wheat-Rabi
Option C:	Barley-Kharif
Option C: Option D:	Barley-Kharif Potato-Rabi.
Option C: Option D: Q13.	Barley-Kharif Potato-Rabi.  What does hydrograph based on day gives?
Option C: Option D: Q13. Option A:	Barley-Kharif Potato-Rabi.  What does hydrograph based on day gives? Idea about flood period during the month
Option C: Option D:  Q13. Option A: Option B:	Barley-Kharif Potato-Rabi.  What does hydrograph based on day gives? Idea about flood period during the month Idea of rainfall
Option C: Option D: Q13. Option A:	Barley-Kharif Potato-Rabi.  What does hydrograph based on day gives? Idea about flood period during the month

Q14. The lag time in hydrograph is: Option A: another name for the peak discharge Option B: how big the river channel is Option C: the time distance between peak rainfall and peak discharge Option D: the time distance between the end of the storm and peak discharge  Q15. A hydrograph is a plot of Option A: rainfall intensity against time Option B: stream discharge against time Option C: cumulative rainfall against time Option D: cumulative runoff against time  Q16. Deep vertical movement of water in the ground is called as Option A: Infiltration Option B: Percolation Option B: Percolation Option D: Seepage  Q17. Which of the following property of geological formation represents its water storage capacity? Option A: Permeability Option B: Porosity Option C: Capillarity Option D: Transmissibility  Q18. The geological formation which may contain water but does not contain any yield is Option B: perched aquifer Option C: Aquiclude Option D: Aquitard  Q19. The field measurement of infiltration is done by
Option A: another name for the peak discharge Option B: how big the river channel is Option C: the time distance between peak rainfall and peak discharge Option D: the time distance between the end of the storm and peak discharge  Q15. A hydrograph is a plot of Option A: rainfall intensity against time Option B: stream discharge against time Option C: cumulative rainfall against time Option D: cumulative runoff against time  Q16. Deep vertical movement of water in the ground is called as Option A: Infiltration Option B: Percolation Option D: Seepage  Q17. Which of the following property of geological formation represents its water storage capacity? Option A: Permeability Option B: Porosity Option C: Capillarity Option D: Transmissibility  Q18. The geological formation which may contain water but does not contain any yield is Option A: Aquifer Option B: perched aquifer Option C: Aquicude Option D: Aquitard  Q19. The field measurement of infiltration is done by
Option B: how big the river channel is Option C: the time distance between peak rainfall and peak discharge Option D: the time distance between the end of the storm and peak discharge  Q15. A hydrograph is a plot of Option A: rainfall intensity against time Option B: stream discharge against time Option C: cumulative rainfall against time Option D: cumulative runoff against time  Q16. Deep vertical movement of water in the ground is called as Option A: Infiltration Option B: Percolation Option D: Seepage  Q17. Which of the following property of geological formation represents its water storage capacity? Option A: Permeability Option B: Porosity Option C: Capillarity Option D: Transmissibility  Q18. The geological formation which may contain water but does not contain any yield is Option A: Aquifer Option B: perched aquifer Option D: Aquiclude Option D: Aquiclude Option D: The field measurement of infiltration is done by Option A: Potentiometer
Option C: the time distance between peak rainfall and peak discharge  Option D: the time distance between the end of the storm and peak discharge  Q15. A hydrograph is a plot of Option A: rainfall intensity against time Option B: stream discharge against time Option C: cumulative rainfall against time Option D: cumulative runoff against time  Q16. Deep vertical movement of water in the ground is called as
Option D: the time distance between the end of the storm and peak discharge  Q15. A hydrograph is a plot of Option A: rainfall intensity against time Option B: stream discharge against time Option D: cumulative rainfall against time Option D: cumulative runoff against time  Q16. Deep vertical movement of water in the ground is called as Option A: Infiltration Option B: Percolation Option C: Runoff Option D: Seepage  Q17. Which of the following property of geological formation represents its water storage capacity? Option A: Permeability Option B: Porosity Option C: Capillarity Option D: Transmissibility  Q18. The geological formation which may contain water but does not contain any yield is Option A: Aquifer Option B: Perched aquifer Option C: Aquiclude Option D: Aquitard  Q19. The field measurement of infiltration is done by
Q15. A hydrograph is a plot of Option A: rainfall intensity against time Option B: stream discharge against time Option C: cumulative rainfall against time Option D: cumulative runoff against time  Q16. Deep vertical movement of water in the ground is called as Option A: Infiltration Option B: Percolation Option C: Runoff Option D: Seepage  Q17. Which of the following property of geological formation represents its water storage capacity? Option A: Permeability Option B: Porosity Option C: Capillarity Option D: Transmissibility  Q18. The geological formation which may contain water but does not contain any yield is Option B: perched aquifer Option C: Aquiclude Option D: Aquitard  Q19. The field measurement of infiltration is done by
Option A: rainfall intensity against time Option B: stream discharge against time Option C: cumulative rainfall against time Option D: cumulative runoff against time  Q16. Deep vertical movement of water in the ground is called as Option A: Infiltration Option B: Percolation Option C: Runoff Option D: Seepage  Q17. Which of the following property of geological formation represents its water storage capacity? Option A: Permeability Option B: Porosity Option C: Capillarity Option C: Capillarity Option D: Transmissibility  Q18. The geological formation which may contain water but does not contain any yield is Option A: Aquifer Option B: perched aquifer Option B: perched aquifer Option C: Aquiclude Option D: Aquiclude Option D: Aquitard  Q19. The field measurement of infiltration is done by Option A: Potentiometer
Option A: rainfall intensity against time Option B: stream discharge against time Option C: cumulative rainfall against time Option D: cumulative runoff against time  Q16. Deep vertical movement of water in the ground is called as Option A: Infiltration Option B: Percolation Option C: Runoff Option D: Seepage  Q17. Which of the following property of geological formation represents its water storage capacity? Option A: Permeability Option B: Porosity Option C: Capillarity Option D: Transmissibility  Q18. The geological formation which may contain water but does not contain any yield is Option A: Aquifer Option B: perched aquifer Option B: perched aquifer Option C: Aquiclude Option D: Aquitard  Q19. The field measurement of infiltration is done by Option A: Potentiometer
Option B: stream discharge against time Option C: cumulative rainfall against time Option D: cumulative runoff against time  Q16. Deep vertical movement of water in the ground is called as Option A: Infiltration Option B: Percolation Option C: Runoff Option D: Seepage  Q17. Which of the following property of geological formation represents its water storage capacity? Option A: Permeability Option B: Porosity Option C: Capillarity Option D: Transmissibility  Q18. The geological formation which may contain water but does not contain any yield is Option A: Aquifer Option B: perched aquifer Option C: Aquiclude Option D: Aquitard  Q19. The field measurement of infiltration is done by Option A: Potentiometer
Option C: cumulative rainfall against time  Option D: cumulative runoff against time  Q16. Deep vertical movement of water in the ground is called as
Option D: cumulative runoff against time  Q16. Deep vertical movement of water in the ground is called as
Q16. Deep vertical movement of water in the ground is called as
Option A: Infiltration Option B: Percolation Option C: Runoff Option D: Seepage  Q17. Which of the following property of geological formation represents its water storage capacity? Option A: Permeability Option B: Porosity Option C: Capillarity Option D: Transmissibility  Q18. The geological formation which may contain water but does not contain any yield is Option A: Aquifer Option B: perched aquifer Option C: Aquiclude Option D: Aquitard  Q19. The field measurement of infiltration is done by Option A: Potentiometer
Option B: Percolation Option C: Runoff Option D: Seepage  Q17. Which of the following property of geological formation represents its water storage capacity? Option A: Permeability Option B: Porosity Option C: Capillarity Option D: Transmissibility  Q18. The geological formation which may contain water but does not contain any yield is Option A: Aquifer Option B: perched aquifer Option B: perched aquifer Option C: Aquiclude Option D: Aquitard  Q19. The field measurement of infiltration is done by
Option C: Runoff Option D: Seepage  Q17. Which of the following property of geological formation represents its water storage capacity?  Option A: Permeability Option B: Porosity Option C: Capillarity Option D: Transmissibility  Q18. The geological formation which may contain water but does not contain any yield is Option A: Aquifer Option B: perched aquifer Option B: perched aquifer Option C: Aquiclude Option D: Aquitard  Q19. The field measurement of infiltration is done by Option A: Potentiometer
Option D: Seepage  Q17. Which of the following property of geological formation represents its water storage capacity?  Option A: Permeability  Option B: Porosity  Option C: Capillarity  Option D: Transmissibility  Q18. The geological formation which may contain water but does not contain any yield is  Option A: Aquifer  Option B: perched aquifer  Option C: Aquiclude  Option D: Aquitard  Q19. The field measurement of infiltration is done by  Option A: Potentiometer
Q17. Which of the following property of geological formation represents its water storage capacity?  Option A: Permeability  Option B: Porosity  Option C: Capillarity  Option D: Transmissibility  Q18. The geological formation which may contain water but does not contain any yield is  Option A: Aquifer  Option B: perched aquifer  Option C: Aquiclude  Option D: Aquitard  Q19. The field measurement of infiltration is done by
storage capacity?  Option A: Permeability  Option B: Porosity  Option C: Capillarity  Option D: Transmissibility  Q18. The geological formation which may contain water but does not contain any yield is  Option A: Aquifer  Option B: perched aquifer  Option C: Aquiclude  Option D: Aquitard  Q19. The field measurement of infiltration is done by
storage capacity?  Option A: Permeability  Option B: Porosity  Option C: Capillarity  Option D: Transmissibility  Q18. The geological formation which may contain water but does not contain any yield is  Option A: Aquifer  Option B: perched aquifer  Option C: Aquiclude  Option D: Aquitard  Q19. The field measurement of infiltration is done by
Option A: Permeability Option B: Porosity Option C: Capillarity Option D: Transmissibility  Q18. The geological formation which may contain water but does not contain any yield is Option A: Aquifer Option B: perched aquifer Option C: Aquiclude Option D: Aquitard  Q19. The field measurement of infiltration is done by Option A: Potentiometer
Option B: Porosity Option C: Capillarity Option D: Transmissibility  Q18. The geological formation which may contain water but does not contain any yield is Option A: Aquifer Option B: perched aquifer Option C: Aquiclude Option D: Aquitard  Q19. The field measurement of infiltration is done by Option A: Potentiometer
Option C: Capillarity Option D: Transmissibility  Q18. The geological formation which may contain water but does not contain any yield is Option A: Aquifer Option B: perched aquifer Option C: Aquiclude Option D: Aquitard  Q19. The field measurement of infiltration is done by Option A: Potentiometer
Option D: Transmissibility  Q18. The geological formation which may contain water but does not contain any yield is  Option A: Aquifer  Option B: perched aquifer  Option C: Aquiclude  Option D: Aquitard  Q19. The field measurement of infiltration is done by  Option A: Potentiometer
Q18. The geological formation which may contain water but does not contain any yield is  Option A: Aquifer  Option B: perched aquifer  Option C: Aquiclude  Option D: Aquitard  Q19. The field measurement of infiltration is done by  Option A: Potentiometer
yield is  Option A: Aquifer  Option B: perched aquifer  Option C: Aquiclude  Option D: Aquitard  Q19. The field measurement of infiltration is done by  Option A: Potentiometer
yield is  Option A: Aquifer  Option B: perched aquifer  Option C: Aquiclude  Option D: Aquitard  Q19. The field measurement of infiltration is done by  Option A: Potentiometer
Option A: Aquifer  Option B: perched aquifer  Option C: Aquiclude  Option D: Aquitard  Q19. The field measurement of infiltration is done by  Option A: Potentiometer
Option B: perched aquifer  Option C: Aquiclude  Option D: Aquitard  Q19. The field measurement of infiltration is done by  Option A: Potentiometer
Option C: Aquiclude Option D: Aquitard  Q19. The field measurement of infiltration is done by Option A: Potentiometer
Option D: Aquitard  Q19. The field measurement of infiltration is done by  Option A: Potentiometer
Q19. The field measurement of infiltration is done by Option A: Potentiometer
Option A: Potentiometer
Option A: Potentiometer
Option B: Lysimeter
Option C: Infiltrometer
Option D: Tensiometer
Q20. What is the theoretical number of unit hydrographs for given basin?
Option A: 500
Option B: 2900
Option C: 36000
Option D: Infinite

Q21.	What does ADF stand for in hydrology?
Option A:	Automatic direction finder
Option B:	Average daily flow
Option C:	Average duration flow
Option D:	Annual dry flow
Q22.	To reduce the evaporation losses what is preferable?
Option A:	High Reservoir Depth
Option B:	Low Reservoir Depth
Option C:	High Reservoir Width
Option D:	Low Reservoir Width
Q23.	The amount of water stored in a river channel without any artificial storage, is
	known as:
Option A:	Bank storage
Option B:	Valley storage
Option C:	River storage
Option D:	Dead storage
Q24.	The useful life of reservoir is terminated when its capacity is reduced to of
	the designed capacity.
Option A:	5 %
Option B:	10 %
Option C:	15 %
Option D:	20%
Q25.	The maximum level to which the water will rise in the reservoir during ordinary
	operation condition is called
Option A:	Minimum Pool Level
Option B:	Normal Pool Level
Option C:	Maximum Pool Level
Option D:	Surcharge storage