

**University of Mumbai**  
**Examination 2020 under cluster \_\_\_ (Lead College Shortname)**

Program: EXTC Engineering

Curriculum Scheme: Rev 2016

Examination: Second Year Semester IV

Course Code: ECC 401 and Course Name: Applied Mathematics IV

Time: 1 hour

Max. Marks: 50

For the students:- All the Questions are compulsory and carry equal marks .

Q1.	Find eigen values of $A^2 - 6A^{-1} + 3I$ , $A = \begin{bmatrix} 6 & 0 & 0 \\ -6 & 3 & 0 \\ 2 & -4 & 1 \end{bmatrix}$
Option A:	36,10,-2
Option B:	38,10,-2
Option C:	-38,11,-2
Option D:	38,10,2
Q2.	Evaluate $\oint_C z^3 dz$ where C is a unit circle from $\theta = 0$ to $\theta = \pi$ .
Option A:	0
Option B:	0.5
Option C:	2
Option D:	$\frac{1}{2}$
Q3.	The regression line of sample are $x + 2y = 6$ & $2x + 3y = 8$ find Sample mean $\bar{x}, \bar{y}$
Option A:	-2,4
Option B:	2,4
Option C:	2,-4
Option D:	-2,-4
Q4.	Find mean and variance of Binomial distribution $(0.2 + 0.8)^{10}$ , $q = 0.2$
Option A:	2,1.6
Option B:	8,1.6
Option C:	7,16
Option D:	2,8
Q5.	Given $A = \begin{bmatrix} 3 & 1 & 4 \\ 0 & 2 & 6 \\ 0 & 0 & 5 \end{bmatrix}$ , then
Option A:	A is derogatory and degree of minimal polynomial is 2
Option B:	A is non derogatory and degree of minimal polynomial is 3
Option C:	A is non derogatory and degree of minimal polynomial is 2
Option D:	A is derogatory and degree of minimal polynomial is 3

**University of Mumbai**  
**Examination 2020 under cluster \_\_\_ (Lead College Shortname)**

Q6.	Evaluate $\int_c \frac{2z-6}{(z-2)(z-5)} dz$ where c is the circle $ z  = \frac{1}{2}$
Option A:	0
Option B:	$2\pi i$
Option C:	$-2\pi i$
Option D:	$-4\pi i$
Q7.	Find vector orthogonal to both $u = (-6,4,2)$ & $v = (3,1,5)$
Option A:	$(-1,2,-1)$
Option B:	$(1,2,1)$
Option C:	$(1,2,-1)$
Option D:	$(1,-2,-1)$
Q8.	Find characteristic equation of , $A = \begin{bmatrix} 2 & 1 & 1 \\ 0 & 1 & 0 \\ 1 & 2 & 2 \end{bmatrix}$
Option A:	$\lambda^3 + 5\lambda^2 + 7\lambda - 3 = 0$
Option B:	$\lambda^3 - 5\lambda^2 + 7\lambda - 3 = 0$
Option C:	$\lambda^3 - 5\lambda^2 + 7\lambda + 3 = 0$
Option D:	$\lambda^3 - 5\lambda^2 - 7\lambda - 3 = 0$
Q9.	X is a Poisson Variate such that $P[X = 2] = P[X = 3]$ then variance of X is
Option A:	0
Option B:	3
Option C:	1
Option D:	5
Q10.	Find poles of function $\frac{1}{z \cos z}$ .
Option A:	0
Option B:	$n\pi$ for $n = 0, \pm 1, \pm 2, \dots$
Option C:	$\frac{n\pi}{2}$ for $n = 0, \pm 1, \pm 2, \dots$
Option D:	$0, \frac{(2n+1)\pi}{2}$ for $n = 0, \pm 1, \pm 2, \dots$
Q11.	A random variable X has a probability density function $f(x) = x^2 e^{-x}; x \geq 0$ . Then Mean of X is
Option A:	12
Option B:	6
Option C:	3
Option D:	4

**University of Mumbai**  
**Examination 2020 under cluster \_\_\_ (Lead College Shortname)**

Q12.	Using Cayley Hamilton Theorem Find $A^{-1}$ in terms of $A$ , $A = \begin{bmatrix} 1 & 2 & 3 \\ 3 & 1 & -5 \\ 0 & 0 & 1 \end{bmatrix}$																
Option A:	$\frac{1}{5}(A^2 + 3A + 3I)$																
Option B:	$\frac{1}{5}(-A^2 - 3A + 3I)$																
Option C:	$\frac{1}{5}(-A^2 + 3A - 3I)$																
Option D:	$\frac{1}{5}(-A^2 + 3A + 3I)$																
Q13.	Using applications of residue theorem, $\int_0^{2\pi} \frac{d\theta}{2+5\sin\theta} = \underline{\hspace{2cm}}$																
Option A:	$\int_c \frac{2dz}{2z^2 + 4iz + 5}$ where $c$ is $ z =1$																
Option B:	$\int_c \frac{2dz}{5z^2 + 4iz - 5}$ where $c$ is $ z =1$																
Option C:	$\int_c \frac{2dz}{3z^2 + 10iz - 3}$ where $c$ is $ z =1$																
Option D:	$\int_c \frac{dz}{2z^2 + 10iz - 2}$ where $c$ is $ z =1$																
Q14.	Find eigen values of $A = \begin{bmatrix} 1 & 2 \\ 2 & 4 \end{bmatrix}$																
Option A:	1,2																
Option B:	0,5																
Option C:	5,1																
Option D:	0,1																
Q15.	The following are the marks scored by 7 students in two tests in a subject. Calculate Karl Pearson's coefficient of correlation from the following data.																
	<table border="1" style="width: 100%; text-align: center;"> <tbody> <tr> <td>Marks in Test 1</td> <td>12</td> <td>9</td> <td>8</td> <td>10</td> <td>11</td> <td>13</td> <td>7</td> </tr> <tr> <td>Marks in Test 2</td> <td>14</td> <td>8</td> <td>6</td> <td>9</td> <td>11</td> <td>12</td> <td>3</td> </tr> </tbody> </table>	Marks in Test 1	12	9	8	10	11	13	7	Marks in Test 2	14	8	6	9	11	12	3
Marks in Test 1	12	9	8	10	11	13	7										
Marks in Test 2	14	8	6	9	11	12	3										
Option A:	0.95																
Option B:	-0.95																
Option C:	0.15																
Option D:	0.53																
Q16.	A random variable $X$ has a probability mass function $p(x) = kx^3$ ; $x = 1,2,3,4$ . Then $k$ is																
Option A:	1/10																

**University of Mumbai**  
**Examination 2020 under cluster \_\_\_ (Lead College Shortname)**

Option B:	1/30																		
Option C:	1/100																		
Option D:	1																		
Q17.	<p>Following are ranks of students in Physics and Chemistry. Find Spearman Rank correlation coefficient.</p> <table border="1" style="margin-left: 20px;"> <tr> <td>Rank in Physics</td> <td>1</td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> <td>6</td> <td>7</td> <td>8</td> </tr> <tr> <td>Rank in Chemistry</td> <td>2</td> <td>4</td> <td>1</td> <td>5</td> <td>3</td> <td>8</td> <td>7</td> <td>6</td> </tr> </table>	Rank in Physics	1	2	3	4	5	6	7	8	Rank in Chemistry	2	4	1	5	3	8	7	6
Rank in Physics	1	2	3	4	5	6	7	8											
Rank in Chemistry	2	4	1	5	3	8	7	6											
Option A:	0.89																		
Option B:	0.74																		
Option C:	0.29																		
Option D:	0.98																		
Q18.	Evaluate $\int_c \frac{zdz}{(z-1)(z-2)}$ where c is the circle $ z =3$																		
Option A:	$2\pi i$																		
Option B:	$6\pi i$																		
Option C:	$4\pi i$																		
Option D:	$-2\pi i$																		
Q19.	<p>Find k if probability distribution function is given as</p> $f(x) = \begin{cases} k \cdot x^2 & \text{for } 0 \leq x \leq 2. \\ 0 & \text{otherwise} \end{cases}$																		
Option A:	8/3																		
Option B:	8																		
Option C:	3/8																		
Option D:	$\frac{3}{4}$																		
Q20.	Find $5^A$ , $A = \begin{bmatrix} 1 & 0 \\ 0 & 2 \end{bmatrix}$																		
Option A:	$\begin{bmatrix} 5 & 0 \\ 0 & 5 \end{bmatrix}$																		
Option B:	$\begin{bmatrix} 5 & 0 \\ 0 & 25 \end{bmatrix}$																		
Option C:	$\begin{bmatrix} 5 & 1 \\ 0 & 25 \end{bmatrix}$																		
Option D:	$\begin{bmatrix} 25 & 0 \\ 0 & 5 \end{bmatrix}$																		
Q21.	Find the angle between $u = (2, -1, 1)$ & $v = (1, 1, 2)$																		
Option A:	$\frac{\pi}{6}$																		
Option B:	$\frac{\pi}{3}$																		
Option C:	0																		

**University of Mumbai**  
**Examination 2020 under cluster \_\_\_ (Lead College Shortname)**

Option D:	$\frac{\pi}{2}$
Q22.	Find additive identity of vector space defined as $\begin{bmatrix} a & 0 \\ 0 & b \end{bmatrix}$ .
Option A:	$\begin{bmatrix} 0 & 0 \\ 0 & 0 \end{bmatrix}$
Option B:	0
Option C:	$\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$
Option D:	$\begin{bmatrix} 1 & 1 \\ 1 & 1 \end{bmatrix}$
Q23.	X is normally distributed variable with mean 30 and standard deviation 4, find $P(X < 40)$ . (Given: Area between $Z=0$ to $Z=2.5$ is 0.4938. )
Option A:	0.9878
Option B:	0.4878
Option C:	0.9938
Option D:	0.0062
Q24.	Find orthogonal basis of $R^2$ of $S = \{(3,1), (2,2)\}$
Option A:	$\left\{ (3,1), \left( -\frac{2}{5}, \frac{6}{5} \right) \right\}$
Option B:	$\left\{ (3,1), \left( \frac{2}{5}, \frac{6}{5} \right) \right\}$
Option C:	$\left\{ (3,1), \left( -\frac{2}{5}, -\frac{6}{5} \right) \right\}$
Option D:	$\left\{ (3,1), \left( -\frac{3}{5}, \frac{6}{5} \right) \right\}$
Q25.	Given $\sum X = 250 ; \sum Y = 300 , \sum XY = 7900 , \sum X^2 = 6500 ; \sum Y^2 = 10000$ and $n = 10$ (in usual notation) The regression coefficient of X on Y is
Option A:	0.4
Option B:	4
Option C:	1.6
Option D:	40