

Program: BE Information Technology Engineering

Curriculum Scheme: Revised 2016

Examination: Second Year Semester IV

Course Code: SEITC405 and Course Name: Web Programming

Time: 1 hour

Max. Marks: 50

=====

=====

Note to the students:- All the Questions are compulsory and carry equal marks .

Q1.	Which of these is not a Client server application?
Option A:	Web browsing
Option B:	E-mail
Option C:	Chat
Option D:	working on Microsoft Application offline.
Q2.	Which attribute specifies a unique alphanumeric identifier to be associated with an element?
Option A:	Class
Option B:	Id
Option C:	Article
Option D:	Html
Q3.	The _____ attribute sets the text direction as related to the lang attribute.
Option A:	Lang
Option B:	Sub
Option C:	Dir
Option D:	Ds
Q4.	Which of the following is not set with font-style property?
Option A:	font-style: normal
Option B:	font-style: italic
Option C:	font-style: oblique
Option D:	font-style: capitalize
Q5.	Which works similar to <i> element?
Option A:	

Option B:	
Option C:	
Option D:	<blockquote>
Q6.	Which sentence specifies the physical layer Vulnerability?
Option A:	Physical damage or destruction of data & hardware.
Option B:	Unauthorized network access.
Option C:	Unauthorized serial network access
Option D:	Network access by middle man.
Q7.	Which works similar to element?
Option A:	
Option B:	
Option C:	<i>
Option D:	<blockquote>
Q8.	Which function is used in JavaScript for URL encoding?
Option A:	encodeURIComponent()
Option B:	Server.URLEncode()
Option C:	rawurlencode()
Option D:	URLEncoding
Q9.	The type of a variable that is volatile is _____
Option A:	Volatile variable
Option B:	Mutable variable
Option C:	Immutable variable
Option D:	Dynamic variable
Q10.	<pre>function compare() { int num=2; char b=2; if(a==b) return true; else return false; }</pre>
Option A:	compilation error
Option B:	FALSE
Option C:	runtime error
Option D:	TRUE
Q11.	Which element is design to wrap a single piece of information?
Option A:	<time>

Option B:	<nav>
Option C:	<footer>
Option D:	<header>
Q12.	Which of the following is not sectioning elements?
Option A:	<nav>
Option B:	<header>
Option C:	<article>
Option D:	<aside>
Q13.	_____ defines a group of content that should be used as a figure and may be labeled by a legend element.
Option A:	Figure
Option B:	Details
Option C:	Output
Option D:	Aside
Q14.	The _____ element is used to render simple graphics such as line art, graphs, and other custom graphical elements on the client side.
Option A:	Metadata
Option B:	Css
Option C:	Canvas
Option D:	Art
Q15.	Which of the following PHP functions accepts any number of parameters?
Option A:	func_get_argv()
Option B:	func_get_args()
Option C:	get_argv()

Option D:	get_argc()
Q16.	<p>What will be the output of the following PHP code?</p> <pre><?php \$num = "1"; \$num1 = "2"; print \$num+\$num1; ?></pre>
Option A:	3
Option B:	1+2
Option C:	Error
Option D:	12
Q17.	<p>What will be the output of the following PHP code?</p> <pre><?php \$num = 10; echo 'What is her age? \n She is \$num years old'; ?></pre>
Option A:	What is her age? \n She is \$num years old
Option B:	<p>What is her age?</p> <p>She is \$num years old</p>
Option C:	What is her age? She is 10 years old
Option D:	<p>What is her age?</p> <p>She is 10 years old</p>
Q18.	If \$a = 12 what will be returned when (\$a == 12) ? 5 : 1 is executed?
Option A:	12
Option B:	1
Option C:	Error
Option D:	5

Q19.	How to define a function in PHP?
Option A:	function {function body}
Option B:	data type functionName(parameters) {function body}
Option C:	functionName(parameters) {function body}
Option D:	function functionName(parameters) {function body}
Q20.	Find out Error in the program ? <pre><?xml version="1.0" encoding="UTF-8"?> <message> <warning> Hello World </warning> <greeting > Nice to meet You </greeting> </message></pre>
Option A:	<pre><?xml version="1.0" encoding="UTF-8"?> <body> <message> <warning> Hello World </warning> <greeting> Nice to meet You </greeting> </message> </body></pre>
Option B:	<pre><?xml version="1.0" encoding="UTF-8"?> <body> <message> <warning> Hello World </warning> <greeting > Nice to meet You </greeting> </message> </body></pre>
Option C:	<pre><?xml version="1.0" encoding="UTF-8"?> <message> <warning> Hello World </warning> <greeting > Nice to meet You </greeting> </message></pre>
Option D:	<pre><?xml version="1.0" encoding="UTF-8"?> <body> <message> <warning> Hello World </warning> </greeting> Nice to meet You </greeting> </message></pre>

	<code></body></code>
Q21.	----- is a general purpose string substitution mechanism for texts encoded as Unicode, inherited from -----.
Option A:	HTML,XML
Option B:	PYTHON,XML
Option C:	CSS,HTML
Option D:	XML,SGML
Q22.	Which sentence relates to Component Interoperability?
Option A:	Due to lack of interoperability, it is not always possible to build a distributed system using heterogeneous components
Option B:	Interoperability is the ability for two different implementations of web services to communicate with one another.
Option C:	Interoperability requirements typically exist at all layers of the protocol stack from the communication protocol
Option D:	With interoperability, it is possible to communicate at the lowest layers of the protocol stack.
Q23.	<code>p strong {background-color: yellow;}</code>
Option A:	Strong have yellow background
Option B:	Strong element within a p element have a yellow background
Option C:	Both p and strong have yellow background
Option D:	yellow background
Q24.	Which of the following is not included in the framework?
Option A:	font sizes
Option B:	css reset
Option C:	button styles
Option D:	forms

Q25.	Which of the following CSS framework is used to create a responsive design?
Option A:	larawell
Option B:	bootstrap
Option C:	rails
Option D:	django